



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

HONG et al.

Atty. Ref.: 2826-9

Serial No. 10/047,119

TC/A.U.: 1725

Filed: January 17, 2002

Examiner: Evans, G.

For: METHOD AND APPARATUS FOR CUTTING A MULTI-LAYER
SUBSTRATE BY DUAL LASER IRRADIATION

* * * * *

July 29, 2004

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir: .

INFORMATION DISCLOSURE STATEMENT

As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449, a copy of each of which is enclosed.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

A check in the amount of \$180.00 is attached.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: _____

John R. Lastova
Reg. No. 33,149

JRL:at

1100 North Glebe Road, 8th Floor

Arlington, VA 22201-4714

Telephone: (703) 816-4000

Facsimile: (703) 816-4100

07/30/2004 ZJUHR1 00000038 10047119 180.00 DP
01 FC:1806

INFORMATION DISCLOSURE
CITATION

ATTY. DOCKET NO.

SERIAL NO.

2826-9

10/047,119

APPLICANT

HONG et al.

FILING DATE

TC/A.U.

January 17, 2002

1725

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

[illegible]

***Examiner**

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.